

## MXR Podoblock

Mobile X-ray Service & Equipment

Nico Gorter / Alex Berends

Postal address:

Vossenlaan 36, 9751 GG Haren, Holland

Company address:

Esweg 31, 9475 TM Midlaren, Holland

Tel: Cell Nico: 0031-65379 4282

Cell Alex: 0031-65182 8117

Office: 0031- 50820 0257

Fax: 0031-50820 0212

Chamber of commerce: 02098356

VATnr.:NL817856547B01

I: [www.podoblock.com](http://www.podoblock.com)

E: [info@mxr.nl](mailto:info@mxr.nl)














Pictures

Product Description

Specifications

Article number

	<p>Podoblock. Aluminium. Incl. 1 Topblock. Rubber Feet. LM / AP / 45° Hands free system.</p>	<p>Height from ground to tip off Hoof in Podoblock 90 mm 120 mm 170 mm</p>	<p>PB 01AL090 PB 01AL120 PB 01AL170</p>
	<p>Podoblock. Aluminium. Incl. 1 Topblock. Rubber Feet. Airgap adapter. LM / AP / 45° Hands free system.</p>	<p>Podoblock with Airgap / Grödel technique. Height from ground to tip off Hoof in Podoblock 120 mm. Distance between Cassette and Hoof 140 mm</p> <p>Airgap adapter for Podoblock</p>	<p>PA 01AL140  PA 01AL140L</p>
	<p>Podoblock. Bottom plate. Synthetic PE500. White.</p>	<p>Thickness plate 10mm</p>	<p>PV 01PE500</p>
	<p>Topblock. Synthetic PE500. Black. Angle diversity.</p>	<p>45 ° 50 ° 55 ° 60 °</p> <p>60 ° Upright pedal.  10 ° Wedge</p>	<p>TB 0250045 TB 0250050 TB 0250055 TB 0250060</p> <p>TBD 0250060  TBW 0250010</p>

	<p>Podoholder for Podoblock. Polycarbonate. 18 mm Box.</p>	<p>18 x 24 18 x 24 horizontal 24 x 30 24 x 30 horizontal 8" x 10" 8" x 10" horizontal 10" x 12" 10" x 12" horizontal</p>	<p>PH 03182418 PHB 03182418 PH 03243018 PHB 03243018 PH 03232818 PHB 03232818 PH 03283318 PHB 03283318</p>
	<p>Podoholder with Lead at the back integrated.</p>	<p>18 x 24 Lead 24 x 30 Lead 8" x 10" Lead 10" x 12" Lead</p>	<p>PL 03182418 PL 03243018 PL 03232818 PL 03283318</p>
	<p>Podoholder with Grid compartment .</p>	<p>18 x 24 Grid 24 x 30 Grid 8" x 10" Grid 10" x 12" Grid</p>	<p>PR 03182418 PR 03243018 PR 03232818 PR 03283318</p>
	<p>Podoholder with Grid compartment and Lead at the back integrated.</p>	<p>18 x 24 Grid / Lead 24 x 30 Grid / Lead 8" x 10" Grid / Lead 10" x 12" Grid / Lead</p>	<p>PRL 03182418 PRL 03243018 PRL 03232818 PRL 03283318</p>
	<p>Distance Cassette Holder. Polycarbonate. Stick 125 mm. 18 mm Box.</p>	<p>18 x 24 18 x 24 Fetlock 24 x 30 35 x 43 35 x 43 Horizontal 8" x 10" 8" x 10" Fetlock 10" x 12" 20 x 30 20 x 40 30 x 40</p>	<p>AC04182418 ACK 04182418 AC 04243018 AC 04354318 ACB 04354318 AC 04232818 ACK 04232818 AC 04283318 AC 04203018 AC 04204018 AC 04304018</p>
	<p>Distance Cassette Holder. Polycarbonate. Stick 125 mm. 18 mm Box. Mountable &amp; height adjustable Stative, 300 mm or 1200 mm</p>	<p>18 x 24 Stative 24 x 30 Stative 35 x 43 Stative 35 x 43 Stative, Horizontal 8" x 10" Stative 10" x 12" Stative 20 x 30 Stative 20 x 40 Stative 30 x 40 Stative</p>	<p>ACS 04182418 ACS 04243018 ACS 04354318 ACBS 04354318 ACS 04232818 ACS 04283318 ACS 04203018 ACS 04204018 ACS 04304018</p>
	<p>Skylinebox. Rubber feet. Polycarbonate 10mm 3M Antislip. Skyline Angle 5°.</p>	<p>18 x 24 24 x 30 35 x 43 8" x 10" 10" x 12"</p>	<p>SK 05182420 SK 05243020 SK 05354320 SK 05232820 SK 05283320</p>

 <p>Combibox : LM / AP and Skyline in one.</p>	<p>Combibox. Rubber feet. Polycarbonate 10mm Height 70 mm. 3M Antislip. Skyline Angle 5°. Hands free system: LM or LM &amp; AP</p>	<p>18 x 24 LM 18 x 24 LM &amp; AP 24 x 30 LM 24 x 30 LM &amp; AP 8" x 10" LM 8" x 10" LM &amp; AP 10" x 12" LM 10" x 12" LM &amp; AP Dummy box 16 x 23 LM Combibox &amp; Dummy</p>	<p>CO 061824081 CO 061824082 CO 062430081 CO 062430082 CO 062328081 CO 062328082 CO 062833081 CO 062833082 CO 06DUM081 CO 06SET081</p>
 <p>DR-Systems. Polycarbonate. Protectionbox  Dist.cass.holder with Stative Mountable &amp; adjustable 250mm Stick: 750 mm  Skylinebox with Rubber feet. 3M Antislip. Skyline Angle 5°.  Combibox. LM adapter and Skyline in one.  Combibox Set. Combibox &amp; Dummy  Podo-Protectionbox with 3 sides 5 mm for Podoblock  Cowboybox all in one system from: Podoholder Protectionbox Dist.cass.holder Available with Grid compartment.</p>	<p>Canon CXDI-31 Eklin Mark III Eklin Mark III Texas Eklin Mark III Idaho  Canon CXDI-G60 Eklin Mark V Scope-XS XDR2  Canon CXDI-G50 XDR1 XDR2 Scope-XL Leonardo DR4336R  Iidexx Equiview DR FDXD 810  Leonardo DR2520+ 0° connector</p>	<p>Eklin Protectionbox Eklin Dist. Cass. Holder Eklin Skyline box Eklin Combibox Eklin Combibox Set Eklin Podo-Protectionbox Eklin Cowboy box  Canon G60 Protectionbox Canon G60 Dist. Cass. Holder Canon G60 Skyline box Canon G60 Combibox Canon G60 Combibox Set Canon G60 Podo-Protectionbox Canon G60 Cowboy box  Canon G50 Protectionbox Canon G50 Dist. Cass. Holder Canon G50 Skyline box Canon G50 Combibox Canon G50 Combibox Set Canon G50 Podo-Protectionbox Canon G50 Cowboy box  Iidexx Protectionbox Iidexx Dist. Cass. Holder Iidexx Skyline box Iidexx Combibox Iidexx Combibox Set Iidexx Podo-Protectionbox Iidexx Cowboy box  Leonardo Protectionbox Leonardo Dist.Cass.Holder Leonardo Skyline box Leonardo Combibox Leonardo Combibox Set Leonardo Podo-Protectionbox Leonardo Cowboy box</p>	<p>DREK 03323330 DREK 04323330 DREK 05323330 DREK 06323330 DREK 06SET30 DREK 07323330 DREK 08323330  DRCA 03343824 DRCA 04343824 DRCA 05343824 DRCA 06343824 DRCA 06SET24 DRCA 07343824 DRCA 08343824  DRXD 03514528 DRXD 04514528 DRXD 05514528 DRXD 06514528 DRXD 06SET28 DRXD 07514528 DRXD 08514528  DRID 03334225 DRID 04334225 DRID 05334225 DRID 06334225 DRID 06SET25 DRID 07334225 DRID 08334225  DRLE 03244634 DRLE 04244634 DRLE 05244634 DRLE 06244634 DRLE 06SET34 DRLE 07244634 DRLE 08244634</p>



DR-Systems.  
Polycarbonate.

Protectionbox.

Dist.cass.holder with Stative  
Mountable & adjustable 250mm  
Stick: 750 mm

Skyline box with Rubber feet.  
3M Antislip.  
Skyline Angle 5°.

Combibox.  
LM adapter and Skyline in one.

Combibox Set.  
Combibox & Dummy

Podo-Protectionbox with  
3 sides 5 mm for Podoblock

Cowboybox all in one system  
from:  
Podoholder  
Protectionbox  
Dist.cass.holder  
Available with Grid  
compartment.

Varian DR2520  
90° connector

Cuatro UnoEQ  
90° connector

Samsung 1210P  
Leonardo DR1210  
Vatech 1210P  
XDR2-K1210  
Uno EQ Slate 1012  
meX+ 1210P

PXium 3543  
Wireless  
Rapixx 43 Wifi

Leonardo DR3543

Flaatz 550P  
Portable  
Wireless

Kodak DRX-1  
Wireless  
Dix-Ray FPS  
Wireless

Varian 2520 Protectionbox  
Varian 2520 Dist. Cass. Holder  
Varian 2520 Skyline box  
Varian 2520 Combibox  
Varian 2520 Combibox Set  
Varian 2520 Podo-Protectionbox  
Varian 2520 Cowboy box

Cuatro Protectionbox  
Cuatro Dist. Cass. Holder  
Cuatro Skyline box  
Cuatro Combibox  
Cuatro Combibox Set  
Cuatro Podo-Protectionbox  
Cuatro Cowboy box

Samsung Protectionbox  
Samsung Dist. Cass. Holder  
Samsung Skyline box  
Samsung Combibox  
Samsung Combibox Set  
Samsung Podo-Protectionbox  
Samsung Cowboy box

PXium Protectionbox  
PXium Dist. Cass. Holder  
PXium Skyline box  
PXium Combibox  
PXium Combibox Set  
PXium Podo-Protectionbox  
PXium Cowboy box

Leonardo Protectionbox  
Leonardo Dist.Cass.Holder  
Leonardo Skyline box  
Leonardo Combibox  
Leonardo Combibox Set  
Leonardo Podo-Protectionbox  
Leonardo Cowboy box  
Leonardo Cover box

Flaatz 550P Protectionbox  
Flaatz 550P Dist. Cass. Holder  
Flaatz 550P Skyline box  
Flaatz 550P Combibox  
Flaatz 550P Combibox Set  
Flaatz 550P Podo-Protectionbox  
Flaatz 550P Cowboy box

Kodak Protectionbox  
Kodak Dist.Cass.Holder  
Kodak Skyline box  
Kodak Combibox  
Kodak Combibox Set  
Kodak Podo-Protectionbox  
Kodak Cowboy box

DRVA 03234528  
DRVA 04234528  
DRVA 05234528  
DRVA 06234528  
DRVA 06SET28  
DRVA 07234528  
DRVA 08234528

DRCU 03234528  
DRCU 04234528  
DRCU 05234528  
DRCU 06234528  
DRCU 06SET28  
DRCU 07234528  
DRCU 08234528

DRSX 03514528  
DRSX 04514528  
DRSX 05514528  
DRSX 06514528  
DRSX 06SET30  
DRSX 07514528  
DRSX 08514528

DRPX 03464824  
DRPX 04464824  
DRPX 05464824  
DRPX 06464824  
DRPX 06SET24  
DRPX 07464824  
DRPX 08464824

DRLE 03354317  
DRLE 04354317  
DRLE 05354317  
DRLE 06354317  
DRLE 06SET17  
DRLE 07354317  
DRLE 08354317  
DRLE 10354317

DRFL 03494736P  
DRFL 04494736P  
DRFL 05494736P  
DRFL 06494736P  
DRFL 06SET36P  
DRFL 07494736P  
DRFL 08494736P

DRKO 03384617  
DRKO 04384617  
DRKO 05384617  
DRKO 06384617  
DRKO 06SET17  
DRKO 07384617  
DRKO 08384617



Stat-X.  
Foldable Mobile  
Stand for X-ray  
machine.

Total Weight off the  
Stat-X only 15 Kg.



3 Swing arm adapter  
positions with Quick  
release.

Swing arm available  
in 580 and 750 mm.

Tailor made bracket  
for X-ray unit.

Swivel range arm  
5° left, 5° right.

Weight range for  
portable X-ray units  
Stat-X: 3 - 25 Kg.

Completely folded /  
unfolded in only  
10 seconds.

External dimensions  
complete folded  
30 x 30 x 147 cm.

Standard colour:  
Purple.  
On request all other  
RAL colours.



Swing arm 580 mm.  
Vertical travel arm 500 mm.  
Vertical travel stand 710mm  
Height adjustable  
with 1 fingertip up to 1.80 m

Weight Portable X-ray unit:  
10.0 – 16.0 Kg  
12.5 – 20.5 Kg  
20.0 – 25.0 Kg

Swing arm 750 mm.  
Vertical travel arm 670 mm.  
Vertical travel stand 710mm  
Height adjustable  
with 1 fingertip up to 2.05 m


Weight portable X-ray unit:  
5.0 – 8.5 Kg  
6.0 – 9.5 Kg  
8.5 – 13.0 Kg  
10.0 – 17.0 Kg

RSM 09580 1016  
RSM 09580 1220  
RSM 09850 2023

RSM 09750 509  
RSM 09750 610  
RSM 09750 815  
RSM 09750 1017

	<p>Mobile "Bucky" with 3D Cassette holder.</p> <p>Grid compartment in plate holder.</p> <p>Protractor.</p> <p>Weight range arm: 3 – 19 Kg</p> <p>Swing arm length: 750 mm.</p>	<p>Mobile Bucky. Cassette holder for Analogue, CR or DR system. Grid compartment tailor made.</p> <p>Available with aluminium plate for extra distance.</p>	<p>CS 097503D</p> <p>CS 097503DAL</p>
	<p>X-Ray marker. Analogue &amp; CR Cassettes.</p> <p>Multiclip. Analogue &amp; CR Cassettes.</p> <p>Multiclip. DR Cassettes.</p>	<p>X-Ray marker L / R X-Ray marker LF / RF X-Ray marker LV / RV X-Ray marker LH / RH X-Ray marker LAT / MED</p> <p>X-Ray marker LF/RF/LH/RH X-Ray marker LV/RV/LH/RH</p> <p>X-Ray marker LF/RF/LH/RH X-Ray marker LV/RV/LH/RH</p>	<p>RC 10LR18 RC 10LFRF18 RC 10LV RV18 RC 10LHRH18 RC 10LATMED18</p> <p>RCM 10EN18 RCM 10DE18</p> <p>RCM 10EN26 RCM 10DE26</p>
	<p>Warning sign. Mobile warning sign that Radiation will be released.</p>	<p>Language Dutch Language English/International Language German Language French</p>	<p>WS 10600NL WS 10600EN WS 10600DE WS 10600FR</p>
	<p>Hoofplaster Hoof. Blue. Shadow free hoof recordings.</p> <p>Hoofplaster Scan. Red. For MRI and Scan</p>	<p>1x Jar 400 Gram 20x Jar 400 Gram 40x Jar 400 Gram</p> <p>1x Jar 400 Gram 20x Jar 400 Gram 40x Jar 400 Gram</p>	<p>HP 10BL4001 HP 10BL40020 HP 10BL40040</p> <p>HP 10RD4001 HP 10RD40020 HP 10RD40040</p>
	<p>Barium paste. Hoofwall marker. Use in case of laminitis.</p>	<p>Tube 250 ML</p>	<p>BP 10113250</p>

	<p>Apron "VET".</p>	<p>Extra Protection to work safe</p>	<p>SV 10VET</p>
	<p>"VET Tools". To work quick and safe.</p> <p>Also available as complete set with the Apron "VET".</p>	<p>Soft faced hammer Clench cutter Straight Blade Loop Knife Nail puller Pull Off Adjustable Hoofstester</p> <p>Complete Set "VET Tools" with Apron "VET"</p>	<p>BH 10WERK01 NK 10WERK02 RE 10WERK03 RH 10WERK04 NT 10WERK05 AT 10WERK06 VV 10WERK07</p> <p>VET 10SET08</p>
	<p>3M Antislip. For slippery surfaces.</p>	<p>Max. width 300mm. Length on request.</p>	<p>AS 103M300</p>
	<p>Aluminium Wedge for Back X-rays.</p>	<p>Measurements: 195x75x30-0 Measurements: 400x250x40-0</p>	<p>AK 101957530 AK 1040025040</p>
	<p>Rubber feet Skyline. 2 Pieces.</p>	<p>Height 20 mm makes 5° Angle Height 45 mm makes 10° Angle Height 70 mm makes 15° Angle</p>	<p>RV 10M105020 RV 10M105045 RV 10M105070</p>
	<p>Grid compartment.</p>	<p>Tailor made Grid compartment for Podoholder or Protectionbox to use with Veterinarian Grid.</p>	<p>MR 10RO01</p>
	<p>Grid. Aluminium cover. Parallel Grid. 70 lines / Cm. 178 lines / Inch. Focus: Infinity. Ratio 8:1.</p> <p>Grid. Carbon cover. Fiber interspaces. Parallel Grid. 70 lines / Cm. 178 lines / Inch. Focus: Infinity. Ratio 13:1.</p>	<p>18x24 Film.size: 180 x 240mm 18x24 Cass.size: 200 x 260mm 24x30 Film.size: 240 x 300mm 24x30 Cass.size: 260 x 320mm 35x43 Film size: 350 x 430mm</p> <p>18x24 Film.size: 180 x 240mm 18x24 Cass.size: 200 x 260mm 24x30 Film.size: 240 x 300mm 24x30 Cass.size: 260 x 320mm 35x43 Film size: 350 x 430mm</p>	<p>RL 10182415 RL 10202615 RL 10243015 RL 10263215 RL 10354315</p> <p>RLC 10182415 RLC 10202615 RLC 10243015 RLC 10263215 RLC 10354315</p>

	<p>Lightweight Nylon X-ray Apron. 0.50 mm Pb Front 0.25 mm Pb Back. Snap fasteners.</p>	<p>Small. 60 x 110 cm Medium. 60 x 120 cm Large. 75 x 120 cm</p> <p>Colours: Blue, Red, Green, Gray Yellow, Purple, Leopard.</p>	<p>RJ 10CLI05S RJ 10CLI05M RJ 10CLI05L</p>
	<p>Flexible Vinyl X-ray glove.</p>	<p>Lead equivalent 0.5 mm Size S. Lead equivalent 0.5 mm Size M. Lead equivalent 0.5 mm Size L.</p>	<p>RH 10LF05S RH 10LF05M RH 10LF05L</p>
	<p>Lightweight Nylon Thyroid shield. Velcro fasteners.</p>	<p>One size fits All. Lead equivalent 0.5 mm Colour: Blue</p>	<p>RS 10BL05M</p>
	<p>Wall rack. Chrome.</p>	<p>Storage capacity: 5 Garments</p>	<p>RR 10CH05</p>

#### Measurements X-ray cassettes. Analogue & Digital CR.

Please check the Cassette measurements if you are not sure what type of cassette you have.  
We supply for every X-ray system cassette holders, if you have different measurements cassettes,  
please contact us.

Film Size (mm)	Cassette size (mm)	Film size (inch)	MXR Article number
18 x 24	208 x 267		... ..1824...
24 x 30	267 x 327		... ..2430...
35 x 35	385 x 385	14" x 14"	... ..3535...
35 x 43	385 x 460	14" x 17"	... ..3543...
43 x 43	460 x 460	17" x 17"	... ..4343...
20 x 25	230 x 280	8" x 10"	... ..2328...
25 x 30	280 x 330	10" x 12"	... ..2833...
20 x 30	230 x 330	8" x 12"	... ..2030...
20 x 40	230 x 425	8" x 16 "	... ..2040...
30 x 40	330 x 425	12" x 16 "	... ..3040...

- 1 year guarantee on all products (Grids not included).
- Delivery times by agreement.
- Payment terms 8 days.
- Prices do not include VAT.
- No Shipping costs in consultation .
- General terms and conditions: [www.mxr.nl/voorwaarden.pdf](http://www.mxr.nl/voorwaarden.pdf)
- Not responsible for Pricing, Typographical and/or Printing errors.